

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: MMS AA Ranking: 1

Name of Intervention	Popular Opinion Leader (POL) FS-17
Risk Behavior(s)	Unprotected Anal Sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility • Group Norms • Poor Social Support • Self esteem • Fatalism (expected outcome)
Intended Immediate Outcomes	<ul style="list-style-type: none"> • Increase Condom use • Increase Risk Perception
Type	CLI
Setting	Gay Bars
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Utilizes members of the community to carry out the message. It can be adapted to be used in a neighborhood bar with a consistent crowd.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: MMS AA Ranking: 1

Name of Intervention	The Mpowerment Project C-16, FS-15
Risk Behavior(s)	Unprotected anal sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Group norms • Poor social support • Group norms promoting unsafe behaviors
Intended Immediate Outcomes	Increase intent to use condoms
Type	CLI
Setting	Various community venues
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Community level intervention that utilizes members of the specific community to develop the HIV prevention program.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: MMS AA Ranking: 1

Name of Intervention	HIV Risk Reduction Intervention Among African-American Homosexual and Bisexual Men FS-19
Risk Behavior(s)	Unprotected Anal Sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Limited social support • Shame and guilt about their sexuality • Poor negotiation skills • Low self-esteem • Cultural norms about sexuality and gender roles.
Intended Immediate Outcomes	Increase Condom use
Type	GLI
Setting	CBO
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Culturally specific. Provides opportunities to practice negotiation skills.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: MMS AA Ranking: 1

Name of Intervention	Reducing Post-Release HIV Risk Among Male Prison Inmates FS-82
Risk Behavior(s)	<ul style="list-style-type: none"> • Unprotected Sex • Injected Drug Use
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Group norms • Low perceived susceptibility. • Poor attitudes toward condom use. • Substance use
Intended Immediate Outcomes	<ul style="list-style-type: none"> • Increase Risk Perception • Create Post-release Risk Reduction Plan • Link to referral system in community
Type	ILI
Setting	Correctional Facility
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	May be used to address the non-gay identified population at this setting.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: MMS AA Ranking: 1

Name of Intervention	AIDS Community Demonstration Project C-s, FS-7
Risk Behavior(s)	<ul style="list-style-type: none"> • Unprotected Sex • Multiple Partners • Injected Drug Use
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility • Cultural norms • Poor social support
Intended Immediate Outcomes	<ul style="list-style-type: none"> • Increase Risk Perception • Increase access to Services and Condoms
Type	CLI
Setting	Varies
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Can be adapted to be used with MMS. Utilizes outreach as a location to carry out the intervention, increasing access to services and condoms.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: MMS AA

Ranking: 1

Name of Intervention	Turning Point FS-9
Risk Behavior(s)	<ul style="list-style-type: none"> • Unprotected Sex • Injected Drug Use
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility • Poor knowledge on how to clean needles/work • Poor self -efficacy • Substance abuse
Intended Immediate Outcomes	<ul style="list-style-type: none"> • Increase Risk Perception • Increase Safe Needle Practices
Type	GLI
Setting	Varies
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Addresses both sexual and drug use behaviors.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: MMS AA

Ranking: 1

Name of Intervention	Brief Group Counseling in HIV Risk Reduction Among Homosexual Asian and Pacific Islander Men FS-12
Risk Behavior(s)	<ul style="list-style-type: none"> • Unprotected Sex • Multiple Partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low self efficacy • Shame and guilt about their sexuality • Negotiation skills • Cultural norms about sexuality and gender roles
Intended Immediate Outcomes	Increase Communication and Negotiation Skills
Type	GLI
Setting	CBO
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Although initially created to target Asian Pacific Islander, adapting the first section may allow it to be used for other ethnic groups.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: MMS AA

Ranking: 1

Name of Intervention	STD testing (including mobile/outreach)
Risk Behavior(s)	<ul style="list-style-type: none"> • Unprotected Sex/Anal Sex • Injected Drug Use • Multiple Partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility
Intended Immediate Outcomes	Increase access to testing Increase knowledge of serostatus and/or STD infection status Develop a risk reduction plan Increase access to needed diagnosis and treatment
Type	Other
Setting	Clinics and Non-Traditional Test Sites
Is this intervention currently being provided in your planning area?	Yes
Rationale for Selecting this Intervention:	High STD morbidity among this population.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: MMS AA Ranking: 1

Name of Intervention	HIV Testing (Outreach/Mobile) Sensitive to gay issues. Using less intrusive methods such as Orasure or rapid test
Risk Behavior(s)	
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility • Transportation barriers • Fear of blood
Intended Immediate Outcomes	Increase access to testing Increase knowledge of HIV serostatus Develop a risk-reduction plan Increase access to needed diagnosis and treatment services
Type	Other
Setting	Non-traditional test sites
Is this intervention currently being provided in your planning area?	limited
Rationale for Selecting this Intervention:	Many African American MSM's in the area have limited access to local clinics and services. High HIV morbidity among this population.